



BT	BHUTAN
----	--------

Diagram / Parts List

DUB362

CORDLESS BLOWER



This exploded view diagram illustrates the assembly of a Makita power tool housing. The components are numbered 1 through 40. The main housing (4) is shown in an exploded state relative to the front grille (2) and the rear housing (38). The front grille (2) is secured with screws (1) and (17). The rear housing (38) features the 'Makita' logo and is secured with screws (39). The internal components, including the motor (9), gear train (10, 11, 12, 13, 14), and fan (20), are shown in their relative positions. The front housing (22) is shown with its lens (21) and lens gasket (23). The rear housing (38) is shown with its lens (36) and lens gasket (37). The lens (36) is secured with screws (35) and (34). The lens gasket (37) is secured with screws (27) and (28). The lens (21) is secured with screws (24) and (25). The lens gasket (23) is secured with screws (29) and (30). The lens (36) is secured with screws (31) and (32). The lens gasket (37) is secured with screws (33) and (34). The lens (21) is secured with screws (35) and (36). The lens gasket (23) is secured with screws (37) and (38). The lens (36) is secured with screws (39) and (40). The lens gasket (37) is secured with screws (41) and (42).

BT

BHUTAN

DUB362 / CORDLESS BLOWER

Item	Sub	Parts No.	Parts Description	Qty	I/C	E/C No.	Close No.	Remark
001		266326-2	TAPPING SCREW 4X18	4				
002		455912-6	REAR COVER	1				
003		644808-8	TERMINAL	2				
004		183A81-6	HOUSING SET	1				
	C10	263005-3	RUBBER PIN 6	2				
	C20	806D81-4	CAUTION LABEL	1			DG311	
	C21	8011Y4-4	CAUTION LABEL	1	O	DG311		
	D10		INC. 38					
005		233002-3	COMPRESSION SPRING 3	1				
006		255058-6	RIVET 2	1				
007		620415-1	SUB CONTROLLER	1				
008		271427-3	DIAL 28	1				
009		650709-0	SWITCH C3JW-1A-P	1				
010		233101-1	COMPRESSION SPRING 4	1				
011		455913-4	SWITCH LEVER	1			C4022	
011-1		458864-0	SWITCH LEVER	1	<	C4022		
012		418881-2	LOCK ON BUTTON	1				
013		233092-6	COMPRESSION SPRING 5	1				
014		418881-2	LOCK ON BUTTON	1				
015		143166-4	CONTROLLER COMPLETE	1			DH325	
015-1		141N60-8	CONTROLLER COMPLETE	1	S	DH325		
016		143146-0	CENTER CASE COMPLETE	1				
	C10	263005-3	RUBBER PIN 6	2				
017		266326-2	TAPPING SCREW 4X18	2				
018-1		252103-8	HEX. LOCK NUT M5-8	1			C9795	
018-2		252286-4	COLLARED HEX. LOCK NUT M5-8	1	S	C9795		
019		253194-2	FLAT WASHER 5	1			C9795	
020-1		240177-1	FAN 110	1				
021		424721-4	RUBBER RING 115	1				
022		455907-9	MOTOR HOUSING	1			D0227	
022-1		455907-9	MOTOR HOUSING	1	O	D0227		
023		424194-1	RUBBER RING 8	1				
024		424194-1	RUBBER RING 8	1			D0227	
025		424721-4	RUBBER RING 115	1				
026		629153-2	STATOR DC36V	1			DH325	
026-1		629B73-2	STATOR	1	S	DH325		
027		253184-5	FLAT WASHER 5	2			C5745	
028		266326-2	TAPPING SCREW 4X18	2			C5745	
028-1		265620-9	TAPPING SCREW FLANGE 4X18	2	S	C5745		
030		210040-2	BALL BEARING 698LLU	1				
031-1		519444-8	ROTOR ASS'Y	1			DF420	
	D10		INC. 30,32				DF420	
031-2		519444-8	ROTOR ASS'Y	1	O	DF420		
	D10		INC. 30,32			DF420		
032		210022-4	BALL BEARING 626DDW	1				
033		455908-7	MOTOR HOUSING COVER	1				
034		455909-5	CAP	1			D2022	
034-1		455909-5	CAP	1	O	D2022		
035		265935-4	TAPPING SCREW 3X20	4				
036		455914-2	FRONT NOZZLE	1				
037		850U44-4	DUB362 NAME PLATE	1				
038		183A81-6	HOUSING SET	1				
	C10	263005-3	RUBBER PIN 6	2				
	C20	806D81-4	CAUTION LABEL	1			DG311	
	C21	8011Y4-4	CAUTION LABEL	1	O	DG311		
	D10		INC. 4					
039		266326-2	TAPPING SCREW 4X18	12				
040-1		266300-0	TAPPING SCREW 4X18	2			C5745	
040-2		265678-8	TAPPING SCREW 4X18	2	O	C5745		
041		620K96-7	CONTROLLER B	1	S	DH325		
042		652119-7	PAN HEAD SCREW M2X6	6	S	DH325		
A02		455915-0	LONG NOZZLE	1			D5482	
A02-1		455915-0	LONG NOZZLE	1	O	D5482	Y08367	
A02-2		183R02-0	LONG NOZZLE SET	1	O	Y08367		
F02-2		197267-0	BATTERY BL1840B SET	1	O	C5218		

A:DUB362Z(N)

Interchange

O : Yes

X : No

< : the new part can be substituted for the current.

> : the current part can be substituted for the new.

S : Interchangeable as a set.

BT	BHUTAN
----	--------

DUB362 / CORDLESS BLOWER

[illegible]