









Colliford 4x3 28mm




Colliford 4x3 28mm



Colliford 4x3 28mm



Colliford 4x3 28mm





Colliford 4x3 28mm

lauko durys




2 vnt.(1D,1K)

1 vnt.






PASTABOS LANGAMS:



- 1.PROFILIS IV45
- 2. FALZ -18, AŠIS -9
- 3. FURNITŪROS SPALVA: RUDA





PASTABOS DURIMS:

- 1.PROFILIS IV45
- 2. FALZ -18, AŠIS -9
- 3. FURNITŪROS SPALVA: RUDA









Colliford 4x3 28mm

4200

F-5






Colliford 4x3 28mm

F-2,4 2 vnt


Colliford 4x3 28mm




3744


2800
































4200




































Colliford 4x3 28mm



Colliford 4x3 28mm			400x300 cm			BE 2023	-Date-
			28 mm 2023.08.02				
Degree <83°, <80°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		2800	40	70	1	2	-Packing Nr.-
		3660	40	70	2	2	
		3660	40	55/60	3	4	
		2734	28	100/130	4	38/30	
			19	40	5	13 m	
		1290	28	100	6	14	
		1290	28	100	7	2	
		349	28	100	8	22	
		221	28	100	9	22	
		4000	28	100	10	1	
		4000	28	100	11	22	
		3000	28	50	12	2	
		3000	28	100	13	36	
		3400	28	100	14	2	
		3800	28	100	15	2	
		4200	28	95	16	1	
		4200	28	160	17	1	
		4200	28	154	18	1	
		4200	44	140	19	2	
		4200	44	140	20	1	
Constructor: I.Paulauskas						Page 1/3	

Colliford 4x3 28mm			400x300 cm		BE 2023	-Date-
			28 mm 2023.08.02			
Degree <83°, <80°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		2310	19	100/86	21	42/49
		1730	19	100/86	22	42/49
	 <83°	2413	19	90	23	2
	 <80°	1835	19	90	24	2
		4200	19	90	25	2
		200	70		26	2
		2413	19	40	27	2
		1835	19	40	28	2
		3800	361		F-2,4	2
		1420	1950		29	1
		720	1200		30	2
		1520	45	28	31	1
		820	45	28	32	2
	 ca. 1880	19	40	33	4	
		4200	19	40	34	2
Constructor: I.Paulauskas					Page 2/3	
					-Packing Nr.-	

Colliford 4x3 28mm				400x300 cm			BE 2023	Date:	
				28 mm 2023.08.02					
atsargines dalys	Dimensions, mm			Pos.	Quantity				
	A	B	C						
				2734		28	100/130	4	1/1
				4000		28	100	11	1
				2310		19	100/86	21	1/1
			1730	19	100/86	22	1/1		
Constructor: I.Paulauskas							Page 3/3		