



הפרזול שעושה את ההבדל



WAVE

reshape the handle



מנעול ידית WAVE תפוס פנוי

B30002.WC + 6132



עוצמת המגנט
ניתנת לכיוון



פעולה שקטה



לשונית מגנטית



התקנה בצד
ימין/שמאל

להזמנה

תיאור	דגם
ידית WAVE פעילה (מתאים למנעול 6132) עם כפתור תפוס פנוי	B30002.WC


גימור: שחור מט

להזמנה

תיאור	דגם
מנעול לידית תפוס פנוי פנוי חזית רוחב 18 מ"מ 60 מ"מ	6132.60

גימור: לבן שחור מט


פינויים בדלת




E = 50,5/60,5



מידות הצלינדר תפוס פנוי



מידות ידית תפוס פנוי



ידית ניידת

מנעול | ידית WAVE צילינדר




תיאור

דגד

B30003
RY



31 לבן




23 שחור מט

תיאור

DATA

6133.60



23 שחור מט



31 לב

Technical drawing of a rectangular plate with dimensions and a side view. The main view shows a plate with overall dimensions 196 (height) and 150 (width). The central rectangular area has dimensions 65,5 (width) and 128 (height). The distance from the top edge to the top of the central area is 3. The distance from the bottom edge to the bottom of the central area is 28. The distance from the left edge to the left of the central area is E. The distance from the right edge to the right of the central area is 28. The central area contains two circular holes, each with a diameter of 16. The distance between the centers of the two holes is 55,5. The distance from the top center of the central area to the top hole is 72,5. The distance from the bottom center of the central area to the bottom hole is 55,5. The side view shows a plate with a thickness of 16 and a central rectangular area with a height of 128 and a width of 65,5. The distance from the top edge to the top of the central area is 3. The distance from the bottom edge to the bottom of the central area is 28. The distance from the left edge to the left of the central area is E. The distance from the right edge to the right of the central area is 28. The central area contains two circular holes, each with a diameter of 16. The distance between the centers of the two holes is 55,5. The distance from the top center of the central area to the top hole is 72,5. The distance from the bottom center of the central area to the bottom hole is 55,5.

Dimensions:

- Overall height: 196
- Overall width: 150
- Central height: 128
- Central width: 65,5
- Distance from top edge to top of central area: 3
- Distance from bottom edge to bottom of central area: 28
- Distance from left edge to left of central area: E
- Distance from right edge to right of central area: 28
- Distance between hole centers: 55,5
- Distance from top center to top hole: 72,5
- Distance from bottom center to bottom hole: 55,5
- Hole diameter: 16
- Side view thickness: 16

Formula: $E = 50,5/60,5$

ידידת ניידת



עוצמת המגנט
ניתנת לכיוון



פעולה שקטה





לשונית מגנטית



התקנה בצד
ימין/שמאל

מידות הצלינדר צילינדר



מנעול וידית WAVE לדלת הזזה תפוס פנוי

A30002.WC + 8981



להזמנה

תיאור	דגם
ידית WAVE פעילה (מתאים למנעול 8981) לכפתור תפוס פנוי	A30002.WC

גימור: 31 לבן 23 שחור מט




להזמנה

תיאור	דגם
מנעול לידית WAVE לדלת הזזה (דגם A30002) עם תפוס פנוי חזית רוחב 16 מ"מ 50 מ"מ	8981.50

גימור: 31 לבן 23 שחור מט

פינויים בדלת




עוצמת המגנט ניתנת לכיוון

פעולה שקטה

לשונית מגנטית

התקנה בצד ימין/שמאל


מידות הצלינדר




ידית מקובעת

*מידות ידית A30002 תואמות לידית B30002

לוחית כיסוי




מושך אינטגרלי



A30003.RY + 8982

מנעול וידית WAVE לדלת הזזה עם צילינדר



להזמנה

תיאור	דגם
ידית WAVE פעילה (מתאים למנעול 8982) עם כפתור תפוס פנוי	A30003.RY

גימור:

31 לבן
23 שחור מט




להזמנה

תיאור	דגם
מנעול לידית WAVE לדלת הזזה (דגם A30003) עם צילינדר חזית רוחב 16 מ"מ 50 מ"מ	8982.50

גימור:

31 לבן
23 שחור מט

פינויים בדלת



עוצמת המגנט
ניתנת לכיוון



פעולה שקטה




לשונית מגנטית



התקנה בצד
ימין/שמאל

מידות הצילינדר






ידית מקובעת



*מידות ידית A30003 תואמות לידית B30003

לוחית כיסוי



מושך אינטגרלי

