ISOTHERMAL COVERS & ROLLERS

- Selection Guide 67
- The range 68
- Bubble cover 400 µ 69
- Bubble cover 500 µ 70
- Bubble cover - Rollers 71
- Accessories 72
- Foam cover 73
- Foam cover - Rollers 74

GUIDE TO CHOOSING BUBBLE COVERS

	BUBBLE COVER 400 µ	BUBBLE COVER 500 µ		
	Bleu/bleu	**RaeGuard™**	**EnergyGuard**	**Sol+Guard**
3 finitions	Non bordered	Duo		Luxe
Brand	ASTRALPOOL	ASTRALPOOL		ASTRALPOOL
Protective cover	✗	✓		✓
Increases water temperature*	Between + 3°C and + 4°C	Opaque & Non-Solar. Designed for heated pools. Retains heat & maintains water temperature.	+ 7°C	+ 7°C
Inhibits the growth of algae	-	✓	✓	-
Reduction in energy consumption*	-	57 %	60 %	70 %
Reduction in the use of chemical products*	-	50 %	60 %	40 %
Reduced filtration filtration time*.	-	-	50 %	-
Suitable for use as winter cover	✗	✗	✓	✗
Eliminates water evaporation*.	-	98 %	98 %	98 %
Reduced contamination by debris	✓	✓	✓	✓
Reduction in the carbon footprint generated by the pool*.	✓	✓	✓	✓
Warranty	3 YEAR WARRANTY	8 YEAR WARRANTY	8 YEAR WARRANTY	8 YEAR WARRANTY

* The technical data shown in this summary table are supplied by the manufacturer of Fluidra Industry France materials. They are given for information only and under the condition that the isothermal blanket is used in accordance with the instructions provided.

THE WARRANTY COVERS:

✓ Manufacturing and material defects

✓ Snags, holes and tears detected on receipt of the product (unpacking), if and only if these defects are linked to damage during transport. In this specific case, the customer must express clear reservations in order for us to take charge of the transport dispute.

THE WARRANTY DOES NOT COVER:

✗ Colourfastness and dimensional stability.

✗ Deterioration of the cover as a result of over-chlorination and abrasion.

✗ Removal and reinstallation costs.

Description

- 2 thicknesses to choose from :
- 400 µ or GeobubbleTM 500 µ
- 4 models available
- 3 types of finish :
- Unlined
- Duo: edged on 2 widths
- Luxe: edged around the perimeter
- Polyethylene film
- Double-sided extrusion
- Assembled by ultrasonic welding
- Anti-oxidant treatment to prevent the polyethylene degradation of the polyethylene by chlorine
- By its very nature, this material is subject to in size (+/- 2.5%)
- A rectangular cover with a length longer than 12 m will be made with a sleeve on each width.

ADVANTAGES

Reduced water evaporation :
+ saves water
+ limits the use of treatment products
+ Maintains water temperature throughout the day

Finitions

NON BORDERED

Rough-cut, with no edging or eyelets, and cannot be rewound.
Supplied without protective tarpaulin.

DUO

Polyethylene tape reinforcement on both widths. Eyelets on one width for the winder straps, one eyelet at opposite corners. This model is not recommended for non-rectangular shapes as it will be rough-cut along the lengths. Supplied with a protective tarpaulin and three bungee cords to position on the cover when rolled up.

LUXE

Polyethylene reinforcement all round. Stainless steel eyelets on one width for the roller, one eyelet on opposite corners. Supplied with a protective tarpaulin and three bungee cords to position on the cover when rolled up.

ATTENTION

No shock chlorination of the water before installing a bubble blanket.

THICKNESSES & COLOURS

	Colors		
400 µ Round bubbles	Blue/ Blue		
500 µ Geobubble™ bubbles	Silver / White	Black	Sol + Guard

Round bubbles 400 µ

BLEUE / BLEUE

Water Conservation

Energy Efficient

3 YEAR WARRANTY

	Standard shape	Non standard shape	Free shape
	Code	Code	Code
Non bordered Cut	075219	075220	075221
Duo Edged 2 Width	075195	075200	075201
Luxe Edged 4 sides	075209	075210	075211

Stairs (400 µ bublles)

Stairss	Code
Stairs **CARRÉ**	079805
Stairs **ROMAN**	079811
Other Stairs	079812
Ladder Cut	079802

ATTENTION

For LARGE SIZE LARGE DIMENSIONS

PRACTICAL INFORMATION

Minimum billable area 10 m2

ASSOCIATED PRODUCTS

In addition to isothermal blankets, we recommend the following items:

PRACTICAL INFORMATION

Complements for BUBBLES 400 µ & 500 µ

Options for bubble cover 400 µ	Code
One-width sleeve	075217
PE fold	075675
Reinforcement T	075405
Blue / black protective cover	079950

Geobubble™ 500 µ

EnergyGuard Selective Transmission

Sol+Guard

RossGuard

Performance of Geobulle™ 500 µ covers:



Geobubble™ 500 µ

PRACTICAL INFORMATION

Facturable minimum 10 m²

Water Conservation

Energy Efficient

8 YEAR WARRANTY

EnergyGuard
Sol+Guard
RaeGuard

	Standard shape	Non standard shape	Free shape
	Code	Code	Code
Non bordered Cut	075564	075565	075566
Duo Edged 2 Width	075567	075568	075569
Luxe Edged 4 sides	075570	075571	075572

	Standard shape	Non standard shape	Free shape
	Code	Code	Code
Non bordered Cut	075558	075559	075560
Duo Edged 2 Width	075561	075562	075563
Luxe Edged 4 sides	075536	075537	075538

RaeGuard

High performance, specially designed to maximise heat retention through its bespoke reflective properties. Instantly identifiable by its silver top layer and white bubbles, RaeGuard™'s unique properties significantly reduce heat loss from the pool surface.

Finished on both sides and reverse

Reflection of the sun's heat

	Standard shape	Non standard shape	Free shape
	Code	Code	Code
Non bordered Cut	075328	075325	075322
Duo Edged 2 Width	075326	075323	075320
Luxe Edged 4 sides	075327	075324	075321

Fam. FI21F

Stairss (bulles 500 µ)

Stairss	Code
Stairs **CARRÉ**	079833
Stairs **ROMAN**	079834
Other Stairs	079835

PRACTICAL INFORMATION

When ordering staircases, specify at the end of the code :
EG = ENERGYGUARD
SG = SOL+GUARD
RG = RAEGUARD

Eco rollers

- Aluminium tube in 3 sections, 1.80 m long
- 2 curved stainless steel tubular legs ø 36 mm
- 1 complete fixing kit for tarpaulin
- External diameter of central tube 79.4 mm.

Eco Roller	Code
Tube L. 4,50 m	**ECR01**

Plus rollers

For pools up to 12 x 6 m (72 m2)
- **Telescopic tube ø 100 mm**
- **Stainless steel "T" legs**
- **1 with wheels and brake**
- **1 fixed**
- **9 or 11 straps with clips for securing the cover, depending on width.**

Plus Roller	Code
For pools up to 10 x 5 m (50 m^2)	**078006**
For pools up to 12 x 6 m (72 m^2)	**078007**

Fixed tube rollers

Rollers consisting of the following components
- **1 fixed central tube**
- **1 mobile support**
- **1 set of straps**

Fixed tube rollers	No. of straps	Code
4,50 m	9	**078065**
5,50 m	11	**078066**
6,50 m	13	**078067**

Bubble rolls

Don't keep your customers waiting! Sell by the metre.
+ IMMEDIATE sales.
+ No more problems with dimensions.
+ Optimise sales (Example: for a bubble blanket measuring 9.5 x 4.5 m, sale of 9.5 ml in a 5 m width).

ADVANTAGES

Bubble roll holder

- Support for: 1 roll of 4 m and 1 roll of 5 m.
- Easy to move: stand stands on castors.
- Dimensions : W. 5.45 x D. 1 x H. 1.6 m. Ø roll 60 cm.

Support	Code
Roller support	**078047**

Bubbles

- 51 ml roll
- 2 width sizes available: 4 m and 5 m
- 2 thicknesses 400 µ Blue / Blue & 500 µ Sol + Guard and RaeGuardTM
- Width of 4 m (204 m^2) or 5 m (255 m^2)

Support	Rouleau de 51 ml	Code
400 µ Bleue / Bleue	**4 m** (204 m^2)	**075218**
	5 m (255 m^2)	**075236**
500 µ Sol + Guard	**4 m** (204 m^2)	**075248**
	5 m (255 m^2)	**075249**
500 µ	**4 m** (204 m^2)	**075318**

ECO ROLL telescopic rollers

Telescopic rollers for bubble tarpaulins. AISI 304 stainless steel feet. Colourless anodised aluminium tube, 3 sections. Solid wheels. ABS steering wheel with braking system. Tarpaulin secured by bungee cords. Optional motorised roller with motor kit.

ECO-ROLL Roller	Maximum dimensions Width x length	Code Rollers	Code Engine kit
Ø ext. central tube 75,9 mm	4 x 9 m	**078031**	**078031MOT**
Ø ext. central tube 91,6 mm	5 x 11 m	**078032**	**078032MOT**
Ø ext. central tube 112 mm*	7 x 14 m	**078033**	**078033MOT**

*Note: 2 boxes for the ECO ROLL Ø 112 mm reel.

Accessories for bubble covers

Stainless steel eyelet

	Code
Unit	**079911**

Plastic eyelet

	Code
Unti	**079912**

Strap clamp kit for unwinding

	Code
Kit	**079962**

Bubble protection cover

Not illustrated

	Code
Bleue	**079950**

Sandow for tarpaulin for bubble protection

	Code
L'unité	**079941**

Reel straps 1.50 m with clip

La boîte	Code
9 sangles	**07622-0900**
11 sangles	**07623-0900**
13 sangles	**07624-0900**

Packaging per box

FOAM COVER

Description

PRACTICAL INFORMATION

Minimum facturable 10 m²

- **Thickness 6 mm**
- **Colour Blue / Blue**
- **2 types of Finish :**

- Duo: edged on 2 widths
- Luxe: edged around the perimeter

This cover is considered to be the most effective and most resistant in the isothermal category.

The foam cover is ideal for :

- public swimming pools
- spas
- heated pools

28°c MAX

Water Conservation

1 YEAR WARRANTY MANUFACTURING DEFECT

COMMERCIAL POOLS COMPATIBLE

ADVANTAGES

+ Maintains water temperature
+ Prevents water evaporation
+ Avoids intensive use of the dehumidifier
+ Excellent chlorine stability

Finitions

DUO

PVC tape reinforcement sewn into both widths. Stainless steel eyelets approximately every 60 cm for the winder straps. One eyelet at each corner. Maximum width 6 m, beyond which the cover is made in several parts.

LUXE

PVC tape reinforcement sewn around the perimeter. Stainless steel eyelets approximately every 60 cm for the winder straps. One eyelet at each corner. Maximum width 6 m, beyond which the cover is made in several parts.

OPTION

Floating stiffener

For large foam covers. Located on the width opposite the roller, it makes it easier to handle the cover without it sinking into the water. We can only make stiffeners on straight sections. Round covers cannot be made with a floating stiffener.

Foam cover

BLEU / BLEU	Standard shape	Non standard shape	Free shape
FINITIONS	Code	Code	Code
Duo	074995	075000	075002
Luxe	075009	075010	075012

Stairs

Stairs	Code
Stairs **CARRÉ**	**079820**
Stairs **ROMAN**	**079821**
Other Stairs	**079822**
Ladder Cut	**079801**

PRACTICAL INFORMATION

When you order a foam cover, all the details below must be specified: colour - finish - angles - position of eyelets for roller.

ASSOCIATED PRODUCTS

To complement the foam blanket, we recommend the following items:

Désignation	Code
One-width sleeve	**075217M**
Floating stiffener	**079901**
Axle attachment strap	**907125**
Guide strap	**907127**

Terminal type roller

COMMERCIAL POOLS COMPATIBLE

3 YEAR WARRANTY MOTOR & BOX



- For indoor pools max. 25 x 11.5 m
- Motorised reel
- Remote control + remote remote key control

	Code
Terminal type roller	**060719**

Motorised double-axis mobile winder



- For pools up to internal dimensions of 25 x 15 m (2 strips max. size 25 x 7.5 m)
- Motorised reel
- Remote control
- 10 m extension

Larg. max x long. Max	Code
5,5 x 25 max	**060885-01**
7,5 x 25 max	**060886-01**

Single-axis manual mobile winder



NEW 2024

- For pools up to 25 x 7.5 m inside dimensions
- Manual reel

	Code
Single mobile winder manual shaft	**070650**

Manual double-axis mobile winder



- For pools up to internal dimensions of 25 x 15 m (2 strips max. size 25 x 7.5 m)
- Manual winder

	Code
Double mobile winder manual shaft	**061258**

PRACTICAL INFORMATION

• Transport costs on request subject to quotation.
• We can adapt our reels to suit your projects.

ATTENTION

The distance between the axis and the edge of the pool must be kept as short as possible to avoid abnormal wear and tear of the cover by rubbing on the paving.