



510 Sycamore Street, Nazareth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

Configuration
C22-045490

Page 1 of 6

Instrument: Custom "D" Dreadnought Body
Orientation: Right Handed
Neck Joint: Dovetail

Appointment Level: Standard
Adhesive: Modern Adhesive
Top Material: Adirondack Spruce
Bracing Material, Top: Adirondack Spruce
Back and Side Material: Wild Grain East Indian Rosewood
Binding Material: Highly Flamed Koa
Top Pearl: Perimeter Only
Rosette Style: Style 45 Black Maple Fiber
Bridge Style: Modern Belly
Neck Material: 12/4 Genuine Mahogany
Neck Profile: Modified Low Oval
Neck Taper: High Performance Taper
Tuning Machines: Grover Gold V97-18GA StaTite 18:1
Vintage Btn

Fingerboard Material: Black Ebony
Fingerboard Inlay: Style 45 Snowflake (Long)
Finish Type: Standard
Finish Package: Gloss Body w/Satin Neck and
Polished Headplate

Top Color: Clear
Electronics: None





510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

Configuration
C22-045490

Page 2 of 6

Frets Clear:	14 Frets Clear of Body
Body Shape:	"D" Dreadnought Body
Inspired by:	D - 41 Style
Appointment Level:	Standard
Base Model Note:	Wood preselected by Music Center Wild Grain EIR #4
Adhesive:	Modern Adhesive
Orientation:	Right Handed
String Number:	6 String
Venetian Cutaway:	No
Electronics:	None
Body Depth:	Standard
Scale Length:	25.4"
Compensated Scale Length:	25.470"
Neck Joint:	Dovetail
Truss Rod:	Adjustable 14 Fret
Construction Note:	

TOP

Top Material:	Adirondack Spruce
Top Material Upgrade:	Premium
Final Top Grade:	Grade 8
Top Thickness:	Standard
Bracing Material, Top:	Adirondack Spruce
Bracing Pattern, Top:	X Brace - Forward Shifted
Bracing Pattern Number, Top:	3-A DOMLE
Bracing Shape, Top:	Scalloped
Bracing Style, Top:	Golden Era
Bracing Size, Top:	5/16"
Top Note:	
Binding Material:	Highly Flamed Koa
Area 1:	Top
Inlay 1:	BI,Fiber,B/M/B,.015/.012/.015x.060x63
Area 2:	Top
Inlay 2:	BI,Fiber,B/M/B,.015/.012/.015x.060x63
Area 3:	Back
Inlay 3:	BI,Fiber,B/M/B,.015/.012/.015x.060x63
Area 4:	Endpiece
Inlay 4:	BI,Fiber,B/M/B,.015/.012/.015x.060x63
Area 5:	Headplate
Inlay 5:	BI,Fiber,B/M/B,.042x.150x21
Area 6:	Side
Inlay 6:	BI,Fiber,Black,.015x.080x63



510 Sycamore Street, Nazareth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

Configuration
C22-045490

Page 3 of 6

Area 7:	Heelcap
Inlay 7:	HC,Black Fiber,.015x1.125x1.125
Area 8:	
Inlay 8:	
Area 9:	
Inlay 9:	
Area 10:	
Inlay 10:	
Area 11:	
Inlay 11:	
Top Pearl:	Perimeter Only
Top Pearl Species:	Regular Abalone
Top Pearl and Thickness:	Regular Abalone 0.064"
Back Pearl and Thickness:	N/A
Side Pearl and Thickness:	N/A
Endpiece Pearl and Thickness:	N/A
Binding and Body Pearl Note:	
Rosette Style:	Style 45 Black Maple Fiber
Rosette Poly:	
Rosette Pearl Species:	Select Abalone
Rosette Pearl Species And Thickness:	Select Abalone 0.064"
Pickguard Material:	Faux Tortoise
Pickguard Pattern:	Pattern 20B
Under Finish Pickguard:	No
Pickguard Inlay:	None
Pickguard Inlay Pearl Species:	N/A
Rosette and Pickguard Note:	45 Style Rosette w/ Black/Maple Fiber & Antique White Boltaron inlays

BACK AND SIDE

Front Block:	BL,Mahogany,Front,D,14,Adj
Rear Block:	BL,Mahogany,Rear,D
Back Piece Qty:	2 Piece
Back and Sides Material:	Wild Grain East Indian Rosewood
Back and Sides Material Upgrade:	Premium
Back and Sides Final Grade:	
Back and Sides Note:	
Wedge Material:	None
Wedge Material Upgrade:	Premium
Wedge Final Grade:	
Back Purfling:	Style 45 (Mosaic)
Bracing Material, Back and Sides:	Sitka Spruce



510 Sycamore Street, Nazareth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

Configuration
C22-045490

Page 4 of 6

Bracing Pattern:	D14 Fret
Center Strip:	Sitka Spruce
Center Strip Stamp Location:	Between 1st & 2nd Brace
Caution Stamp:	None
Ribbons:	Spanish Cedar
Side Strips:	East Indian Rosewood
Endpiece Material:	Highly Flamed Koa

NECK

Neck Material:	12/4 Genuine Mahogany
Neck Center Piece Material:	n/a
Neck Profile:	Modified Low Oval
Neck Taper:	High Performance Taper
Heelcap Material:	Highly Flamed Koa
Headstock:	Solid
Diamond Volute:	Standard
Headstock Taper:	Square
Corners:	Square
Headplate Material:	Wild Grain East Indian Rosewood
Headplate Material Grade:	Premium
Headplate Thickness:	Standard
Headplate Decal:	None
Headplate Binding:	Yes
Headplate Inlay:	CFM Block Golden Era
Headplate Inlay Pearl Species:	Select Abalone
Stamp:	C.F. Martin & Co.
Neck Material, Shape, Headstock Note:	

FINGERBOARD

Fingerboard Material:	Black Ebony
Fingerboard Material Grade:	3
Fingerboard Stain:	No
Fingerboard Oil:	Yes
Fingerboard Radius:	16"
Fingerboard Width at Nut:	1 3/4"
Fingerboard Width at 12th Fret:	2 1/8"
String Spacing:	2 5/32"
Fingerboard Length:	17.989"
Fingerboard Thickness:	Standard Thickness
Fret Wire:	Standard
Fret Slot:	0.023 Through
Total Frets:	20 Total



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

Configuration
C22-045490

Page 5 of 6

Fingerboard Binding:	Yes
Fingerboard Inlay:	Style 45 Snowflake (Long)
Fingerboard Inlay Pearl Species:	Select Abalone
Side Dots:	White
Side Dot Postion:	One at 3rd, 5th, 7th, 9th, Two at 12th, One at 15th & 17th Frets
Nut Material:	Bone
Nut Positioning:	Flat
Fingerboard Note:	

FINISH

Finish Type:	Standard
Stage 1 Aged Finish:	No
Finish Package:	Gloss Body w/Satin Neck and Polished Headplate
Satin Finish Package:	Not Applicable
Finish Taping Notes:	Tape All Bindings, Heelcap & Endpiece for Stain/Remove for Fill
Notes for Finish:	None
Top Color:	Clear
Body Filler:	Rosewood
Body Stain:	None
Neck Filler:	Rosewood
Neck Stain:	Mahogany
Solid Color:	None
Solid Color Neck:	None
Complete Burst:	None
Finish and Extras Note:	

BRIDGE

Bridge Material:	Black Ebony
Bridge Style:	Modern Belly
Saddle Style:	Drop in Saddle
Bridge Inlay:	None
Bridge Inlay Pearl Species:	N/A
Saddle Material:	Compensated Bone
Bridge Pins:	Liquid Metal - Gold with Paua
Bridge End Pins:	White w/ Paua
Bridge Note:	

EXTRAS

Tuning Machines:	Grover Gold V97-18GA StaTite 18:1 Vintage Btn
Tuning Machine Drilling:	R 11/32"
Strings:	Authentic Acoustic Lifespan 2.0
Strings Guage:	Medium
Strap Button:	None



510 Sycamore Street, Nazereth, Pennsylvania 18064 USA, 800-633-2060 FAX: 484-291-6639

Configuration

Page 6 of 6

C22-045490

Case:	5-Ply Hardshell
Strap:	None
Custom Label:	None
Handcrafted by the Custom Shop for:	
Custom Shop Credentials Book:	Yes