

## Bit-Check 6 Impaktor 1 SB, 6 pieces

### Bit-Checks Impaktor



|                        |                           |                               |              |
|------------------------|---------------------------|-------------------------------|--------------|
| <b>EAN:</b>            | 4013288158635             | <b>Size:</b>                  | 175x95x15 mm |
| <b>Part number:</b>    | 05073890001               | <b>Weight:</b>                | 84 g         |
| <b>Article number:</b> | Bit-Check 6 Impaktor 1 SB | <b>Country of origin:</b>     | CZ           |
|                        |                           | <b>Customs tariff number:</b> | 82079030     |

- Upright positionable, multi-component Bit-Check
- Impaktor technology for above-average service life
- Particularly suitable for use with customary impact drivers
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- Take it easy tool finder: colour coding according to profile and size

6 Wera Impaktor bits in a length of 50 mm tidily arranged in a minimum of space in a practical Bit-Check. The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry. The bit tip is coated with tiny diamond particles; this reduces the risk of any slipping out of the screw head thanks to the enhanced frictional resistance.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_6\\_impaktor\\_1\\_sb.html](https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_6_impaktor_1_sb.html)

Wera - Bit-Check 6 Impaktor 1 SB  
05073890001 - 4013288158635


Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Check 6 Impaktor 1 SB, 6 pieces

### Bit-Checks Impaktor



#### Set contents:



#### 851/4 IMP DC

05057656001 1 x PH 2 x 50 mm  
05057657001 1 x PH 3 x 50 mm



#### 855/4 IMP DC

05057661001 1 x PZ 2 x 50 mm  
05057662001 1 x PZ 3 x 50 mm



#### 867/4 IMP DC

05057665001 1 x TX 25 x 50 mm  
05057666001 1 x TX 30 x 50 mm

#### At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

#### Improved productivity



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.

#### Above-average service life



Maximum utilisation of the material properties, a very special geometry – designed particularly to meet the extreme demands – as well a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.

#### Impaktor-Bits



For an above-average service life. Maximum utilisation of the material properties, a very special geometry – designed particularly to meet the extreme demands – as well a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects – particularly high in power tool applications – which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_6\\_impaktor\\_1\\_sb.html](https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_6_impaktor_1_sb.html)

Wera - Bit-Check 6 Impaktor 1 SB  
05073890001 - 4013288158635


Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

### Torsion zone



Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

### Reduced contact pressure



These diamond particles reduce the cam-out effects – particularly high in power tool applications – which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

### TriTorsion system



The combination of the double torsion zones in the Impaktor holder and the torsion zone in the Impaktor bit result in the so-called TriTorsion system.

### "Take it easy" tool finder system



The "Take it easy" Bit-Checks have bits with a sleeve which – from its colour (e.g. red = Phillips) and size designation – make it simple to access the right bit quickly.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_6\\_impaktor\\_1\\_sb.html](https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_6_impaktor_1_sb.html)

Wera - Bit-Check 6 Impaktor 1 SB  
05073890001 - 4013288158635

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)