



HDY series the PM VFD movable fan is a new product specially developed for improving the comfort of working environment. Self-designed variable frequency speed control, high efficiency and energy saving permanent magnet external rotor motor drive. It has the advantages of low noise, small volume, light weight, compact structure and beautiful appearance.



HDY Series

THE PM VFD **MOVABLE FAN**

Widely used in fitness center, outdoor wedding venues, industrial factory, logistics warehousing, waiting room, exhibition hall, physical education hall and other large space places, as a new type of ceiling fan space ventilation, personnel cooling. It can push a large amount of airflow to the ground, forming a certain height of the moving airflow layer, thus contributing to the overall air circulation; Like the natural breeze system, enjoy the intimate experience of natural wind.



Fitness Centers



Outdoor Weddings



Industrial Plants



Logistics and Storage







Large Shopping Malls





NATURAL THREE-DIMENSIONAL AIR SUPPLY ENHANCE HUMAN COMFORT







Wind speed range



28m

Maximum blowing distance



HDY series the PM VFD movable fan unique wing design, straight blade diameter from 1~2m, adopting the principle of aerodynamics and advanced technology manufacturing blades wing, formed by strong air agitation ability of circulation flow field, produce like the breeze system of nature, the body will feel three-dimensional wind from all directions, increased sweat evaporation area, increase your comfort level.

At the same time avoid the use of traditional high-speed fan in the direction of the wind all year round, causing a variety of human health problems, greatly improve the comfort of the environment. HDY series fans can be combined with the actual needs of different occasions to adjust the wind volume, the wind speed in the range of 1m-6m /s can arbitrarily adjusted.In the open space, the industrial energy-saving mobile fan's maximum blowing distance is 28 meters.

PERMANENT MAGNET SYNCHRONOUS MOTOR

FEATURES:

- · Without rotor losses
- High efficiency and precision
- · Large power factor
- Improve grid operating environment.
- Frequency modulation width (0~200HZ)
- Small size and light weight
- Saving energy and high efficient





STREAMLINED FAN BLADE + ENERGY SAVING TAIL

Airfoil Internal Reinforcement Structure

FAN BLADE:

It is made of aluminum and magnesium alloy extruded and stretched, and has the advantages of high strength, good toughness, light weight, long life and safe operation. The fan blade surface is treated with T5+ bright surface oxidation treatment, which enhances the corrosion and oxidation resistance of the fan blade and can cope with special environmental operations.






SMART CONTROL SYSTEM

- The system is no position vector control, anti electromagnetic interference, anti radiation, small size, light weight, beautiful appearance.
- System function is simple, 4 buttons easy to operation (start, stop, speed
- System with overvoltage, undervoltage, voltage loss regulation, current, lack of phase, overload, collision, overheating, lightning, abnormal properties between down).

技术参数 TECHNICAL DATA

Model	Diameter (m)	Voltage (v)	Frequency (Hz)	Power (kW)	Rotating Speed (rpm)	Air speed (m/s)	Airflow (m3/h)	Weight (kg)	Noise (dB)	Coverage area (m2)
JHVF-P150	1.5	220/380	50/60	0.75	≤420	1-6.5	55000	93	39	150

PLACEMENT ENVIRONMENT



INSTALLATION DATA

Model	L (cm)	W (cm)	H (cm)
JHVF-P150	172	60	169

