

Technical Data Sheet

CODE 11936

MICRO 100

Centrifugal duct fans



Certifications



CE



CCC



EAC



UKCA




CB TEST CERTIFICATE

Technical and performance data

Frequency (Hz)	50	Airflow at 1st speed (l/s)	18
Insulation class	II°	Airflow at 1st speed (m³/h)	65
IP	X4	Max airflow at Max speed (l/s)	25
Max absorbed current at Max speed (A)	0,13	Max airflow at Max speed (m³/h)	90
Max absorbed current at Min speed (A)	0,10	Max pressure at Max speed (mmH2O)	22
Max absorbed power at Max speed (W)	28	Max pressure at Max speed (Pa)	216
Max ambient temperature for continuous operation (°C)	50	Max RPM	1600
Nominal diameter (mm)	100	Min RPM	1180
Ø Discharge hole (mm)	92,5/97	Pressure at 1st speed (mmH2O)	16
Power absorbed at 1st speed (W)	20	Pressure at 1st speed (Pa)	157
Voltage (V)	220-240	Sound pressure at 3 m - min speed Lp [dB (A)] 3m - min speed	32,3
Weight (Kg)	1,80	Sound pressure at 3m at Max speed Lp [dB (A)]	39,2
		Sound pressure in free air conditions [dB(A)] 3m	32,3

Dimensions



Size A (mm)	239
Size B (mm)	195
Size C (mm)	197
Size D (mm)	85
Size E (mm)	74
Size F (mm)	64
Size G (mm)	60
Size H (mm)	97
Size I (mm)	100
Size L (mm)	20
Size T (mm)	117

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com

Technical Data Sheet

CODE 11936

MICRO 100


Centrifugal duct fans



Description

- Material: white ABS plastic
- Capacitor start 2-speed induction motor coupled to a forward bladed centrifugal impeller. Equipped with thermal overload cutout and self-lubricating bushings.
- Nominal diameter 100 mm.
- Minimum air flow 65 m³/h
- Maximum air flow: 90 m³/h
- Vortice speed controller.

Curves



Accessories



C 1.5
(COMANDO EL.
1.5 A)

Code 12966



KIT SCB
(TRASF.E.C.)

Code 22481



SCNRB I

Code 12971



DEVIATORE DI
FLUSSO M 10/4

Code 22310



IREM D

Code 12867

PER INFORMAZIONI / FOR INFORMATION

ITALY
Pre Sales:

UNITED KINGDOM & REP. OF
IRELAND
Sales Dept:

OTHER COUNTRIES
Sales Dept:

prevendita@vortice-italy.com
After Sales:
postvendita@vortice-italy.com

sales@vortice.ltd.uk
Technical Dept:
technical@vortice.ltd.uk

export@vortice-italy.com
After Sales:
after-sales@vortice-italy.com